


## AMENDMENTS TO THE CLAIMS


This listing of claims will replace all prior versions, and listings, of Claims in this application. Claims 1, 2, 14, 30, 43, and 56 are amended herein. Please add New Claims 84 and 85.

### Listing of Claims


1. (Currently amended) A compound of the formula Ia:




wherein Zx is -O-R<sup>1a</sup>, and R<sup>1a</sup> is selected from














,




,




,




,




,




,




,




,



,




,



,


or






;




wherein  $R^{2a}$  is selected from  $\text{---NH---}$ ,  $\text{---NCH}_3\text{---}$ ,  $\text{---(O)}_p\text{---}$ ,  $R^{3a}$ ,  $R^{3a}$ ,  $R^{3a}$  wherein  $p^1$  is 0 or 1,  $\text{---S---}R^{3a}$ ,




wherein  $R^{3a}$  is selected from  $\text{---H}$ ,


















wherein x and y are independently selected from O, S, CH<sub>2</sub>, or NH; E is independently selected from CH or N; p, q, r, and s are independently selected from an integer from 0 to 5, inclusive; and t and t<sup>1</sup> are independently selected from an integer from 0 to 10, inclusive;







wherein  $R^{4a}$  is selected from  $-H$  or  $-CH_3$ ; and




2. (Currently amended) A composition comprising a pharmaceutically acceptable carrier and a compound of the formula Ia, ~~as claimed in Claim 1.~~



























wherein  $R^{2a}$  is selected from  $\text{—NH—R}^{3a}$ ,  $\text{—NCH}_3\text{—R}^{3a}$ ,  $\text{—(O)}_{p^1}\text{—R}^{3a}$  wherein  $p^1$  is 0 or 1,  $\text{—S—R}^{3a}$ ,






















wherein x and y are independently selected from O, S, CH<sub>2</sub>, or NH; E is independently selected from CH or N; p, q, r, and s are independently selected from an integer from 0 to 5, inclusive; and t and t' are independently selected from an integer from 0 to 10, inclusive;





3. (Previously presented) The composition as claimed in Claim 2, further comprising:  
 optionally, a pharmaceutically acceptable auxiliary;  
 optionally, a pharmaceutically acceptable preservative; and  
 optionally, a pharmaceutically acceptable excipient.

4. (Withdrawn) The composition as claimed in Claim 2, further comprising an agent selected from a chemotherapeutic agent, an immunosuppressive agent, a cytokine, a cytotoxic agent, a nucleolytic compound, a radioactive isotope, a receptor, a pro-drug activating enzyme,



an anti-inflammatory agent, an antirheumatic agent, a cardiovascular agent, a toxin, or any combination thereof.

5. (Original) The composition as claimed in Claim 2, wherein the composition is in the form of a tablet, a capsule, a cachet, a powder, a granule, a solution, a suspension, an emulsion, a bolus, a lozenge, a suppository, a pessary, a tampon, a cream, a gel, a paste, a foam, a spray, an aerosol, a microcapsule, a liposome, a transdermal patch, a pastille, a paste, or a mouthwash.

6. (Withdrawn) A medical device comprising:  
a drug delivering or eluting member; and  
a composition in accordance with Claim 2 disposed on or within the drug delivering or eluting member.

7. (Withdrawn) The medical device as claimed in Claim 6, wherein the drug delivering or eluting member is a stent.

8. (Withdrawn) The medical device as claimed in Claim 6, wherein the drug delivering or eluting member is selected from a shunt, a colostomy bag attachment device, an ear drainage tube, a lead for a pacemaker, a lead for an implantable defibrillator, a suture, a staple, an anastomosis device, a vertebral disk, a bone pin, a suture anchor, a hemostatic barrier, a clamp, a screw, a plate, a clip, a vascular implant, a tissue adhesive, a tissue sealant, a tissue scaffold, a bone substitute, an intraluminal device, a stent, or a vascular support.

9. (Withdrawn) A microarray comprising:  
a gene expression profile generated from a cell type treated with a compound of the formula Ia, as claimed in Claim 1.

10. (Withdrawn) The microarray as claimed in Claim 9, wherein the cell type is selected from the group of cells comprising coronary artery endothelium, umbilical artery endothelium, umbilical vein endothelium, aortic endothelium, dermal microvascular endothelium, pulmonary



artery endothelium, myometrium microvascular endothelium, keratinocyte epithelium, bronchial epithelium, mammary epithelium, prostate epithelium, renal cortical epithelium, renal proximal tubule epithelium, small airway epithelium, renal epithelium, umbilical artery smooth muscle, neonatal dermal fibroblast, pulmonary artery smooth muscle, dermal fibroblast, neural progenitor cells, skeletal muscle, astrocytes, aortic smooth muscle, mesangial cells, coronary artery smooth muscle, bronchial smooth muscle, uterine smooth muscle, lung fibroblast, osteoblasts, or prostate stromal cells.


11. (Withdrawn) An expression profile database comprising:  
a patient identifying reference; and  
an expression profile for the patient generated by administering to the patient a compound of the formula Ia, as claimed in Claim 1.

12. (Withdrawn) A method of treating unwanted cellular proliferation, treating an inflammation mediated disease, treating a hyperproliferative disease, or modulating a glycosidase enzyme in a human or an animal comprising administering to the human or animal a therapeutically effective amount of a composition comprising a compound of the formula Ia, as claimed in Claim 1.

13. (Withdrawn) The method as claimed in Claim 12, wherein the compound is present in the composition in an amount effective upon administration in a daily dose, a daily sub-dose, or any appropriate fraction thereof to the human or animal to reduce the effects of the disease, to reduce the effects of the unwanted cellular proliferation, to reduce the effects of the inflammation mediated disease, to reduce the effects of the hyperproliferative disease, or to modulate the glycosidase enzyme.


14. (Currently amended) A compound of the formula XXIIIa:






, or a salt thereof,

wherein R<sup>1a</sup> is selected from












, or




wherein R<sup>2a</sup> is selected from  $\begin{pmatrix} \text{O} \end{pmatrix}$  P<sup>1</sup> wherein P<sup>1</sup> is 0, —S—,  $\overset{\text{O}}{\parallel}$ , or  $\overset{\text{O}}{\parallel}$ ;





















wherein x and y are independently selected from O, S, CH<sub>2</sub>, or NH; E is independently selected from CH or N; p, q, r, and s are independently selected from an integer from 0 to 5, inclusive; and t and t<sup>1</sup> are independently selected from an integer from 0 to 10, inclusive;






15. (Original) A compound as claimed in Claim 14 of the formula XXIVa<sup>11</sup>:




, or a salt thereof,

wherein R<sup>3a</sup> is selected from,










wherein x and y are independently selected from O, S, CH<sub>2</sub>, or NH; E is independently selected from CH or N; p, q, r, and s are independently selected from an integer from 0 to 5, inclusive; and t and t<sup>1</sup> are independently selected from an integer from 0 to 10, inclusive.


16. (Original) A compound as claimed in Claim 14 of the formula XXIVa:




, or a salt thereof;

wherein p<sup>1</sup> is 0;

wherein R<sup>3a</sup> is selected from








wherein x and y are independently selected from O, S, CH<sub>2</sub>, or NH; E is independently selected from CH or N; p, q, r, and s are independently selected from an integer from 0 to 5, inclusive; and t and t<sup>1</sup> are independently selected from an integer from 0 to 10, inclusive.




17. (Original) A compound as claimed in Claim 14 of the formula XXVa:




, or a salt thereof,

wherein n is selected from 0, 1, or 2; and









wherein x and y are independently selected from O, S, CH<sub>2</sub>, or NH; E is independently selected from CH or N; p, q, r, and s are independently selected from an integer from 0 to 5, inclusive; and t and t<sup>1</sup> are independently selected from an integer from 0 to 10, inclusive.

18. (Previously presented) A composition comprising a pharmaceutically acceptable carrier and a compound of the formula XXIIIa, as claimed in Claim 14.

19. (Previously presented) The composition as claimed in Claim 18, further comprising:  
optionally, a pharmaceutically acceptable auxiliary;  
optionally, a pharmaceutically acceptable preservative; and  
optionally, a pharmaceutically acceptable excipient.

20. (Withdrawn) The composition as claimed in Claim 18, further comprising an agent selected from a chemotherapeutic agent, an immunosuppressive agent, a cytokine, a cytotoxic agent, a nucleolytic compound, a radioactive isotope, a receptor, a pro-drug activating enzyme, an anti-inflammatory agent, an antirheumatic agent, a cardiovascular agent, a toxin, or any combination thereof.

21. (Original) The composition as claimed in Claim 18, wherein the composition is in the form of a tablet, a capsule, a cachet, a powder, a granule, a solution, a suspension, an emulsion, a bolus, a lozenge, a suppository, a pessary, a tampon, a cream, a gel, a paste, a foam, a spray, an aerosol, a microcapsule, a liposome, a transdermal patch, a pastille, a paste, or a mouthwash.

22. (Withdrawn) A medical device comprising:  
a drug delivering or eluting member; and  
a composition in accordance with Claim 18 disposed on or within the drug delivering or eluting member.

23. (Withdrawn) The medical device as claimed in Claim 22, wherein the drug delivering or eluting member is a stent.



24. (Withdrawn) The medical device as claimed in Claim 22, wherein the drug delivering or eluting member is selected from a shunt, a colostomy bag attachment device, an ear drainage tube, a lead for a pacemaker, a lead for an implantable defibrillator, a suture, a staple, an anastomosis device, a vertebral disk, a bone pin, a suture anchor, a hemostatic barrier, a clamp, a screw, a plate, a clip, a vascular implant, a tissue adhesive, a tissue sealant, a tissue scaffold, a bone substitute, an intraluminal device, a stent, or a vascular support.

25. (Withdrawn) A microarray comprising:  
a gene expression profile generated from a cell type treated with a compound of the formula XXIIIa, as claimed in Claim 14.

26. (Withdrawn) The microarray as claimed in Claim 25, wherein the cell type is selected from the group of cells comprising coronary artery endothelium, umbilical artery endothelium, umbilical vein endothelium, aortic endothelium, dermal microvascular endothelium, pulmonary artery endothelium, myometrium microvascular endothelium, keratinocyte epithelium, bronchial epithelium, mammary epithelium, prostate epithelium, renal cortical epithelium, renal proximal tubule epithelium, small airway epithelium, renal epithelium, umbilical artery smooth muscle, neonatal dermal fibroblast, pulmonary artery smooth muscle, dermal fibroblast, neural progenitor cells, skeletal muscle, astrocytes, aortic smooth muscle, mesangial cells, coronary artery smooth muscle, bronchial smooth muscle, uterine smooth muscle, lung fibroblast, osteoblasts, or prostate stromal cells.

27. (Withdrawn) An expression profile database comprising:  
a patient identifying reference; and  
an expression profile for the patient generated by administering to the patient a compound of the formula XXIIIa, as claimed in Claim 14.


28. (Withdrawn) A method of treating unwanted cellular proliferation, treating an inflammation mediated disease, treating a hyperproliferative disease, or modulating a




glycosidase enzyme in a human or an animal comprising administering to the human or animal a therapeutically effective amount of a composition comprising a compound of the formula XXIIIa, as claimed in Claim 14.

29. (Withdrawn) The method as claimed in Claim 28, wherein the compound is present in the composition in an amount effective upon administration in a daily dose, a daily sub-dose, or any appropriate fraction thereof to the human or animal to reduce the effects of the disease, to reduce the effects of the unwanted cellular proliferation, to reduce the effects of the inflammation mediated disease, to reduce the effects of the hyperproliferative disease, or to modulate the glycosidase enzyme.


30. (Currently amended) A compound of the formula IIa<sub>1</sub>:




wherein R<sup>2a</sup> is selected from  $\text{—NH—R}^{3a}$ ,  $\text{—NCH}_3\text{—R}^{3a}$ ,  $\text{—(O)}_{p^1}\text{—R}^{3a}$  wherein p<sup>1</sup> is 0 or 1,  $\text{—S—R}^{3a}$ ,






















wherein x and y are independently selected from O, S, CH<sub>2</sub>, or NH; E is independently selected from CH or N; p, q, r, and s are independently selected from an integer from 0 to 5, inclusive; and t and t<sup>1</sup> are independently selected from an integer from 0 to 10, inclusive; and



31. (Previously presented) A composition comprising a pharmaceutically acceptable carrier and a compound of the formula IIa<sub>1</sub>, as claimed in Claim 30.
32. (Previously presented) The composition as claimed in Claim 31, further comprising:  
optionally, a pharmaceutically acceptable auxiliary;  
optionally, a pharmaceutically acceptable preservative; and



optionally, a pharmaceutically acceptable excipient.

33. (Withdrawn) The composition as claimed in Claim 31, further comprising an agent selected from a chemotherapeutic agent, an immunosuppressive agent, a cytokine, a cytotoxic agent, a nucleolytic compound, a radioactive isotope, a receptor, a pro-drug activating enzyme, an anti-inflammatory agent, an antirheumatic agent, a cardiovascular agent, a toxin, or any combination thereof.

34. (Original) The composition as claimed in Claim 31, wherein the composition is in the form of a tablet, a capsule, a cachet, a powder, a granule, a solution, a suspension, an emulsion, a bolus, a lozenge, a suppository, a pessary, a tampon, a cream, a gel, a paste, a foam, a spray, an aerosol, a microcapsule, a liposome, a transdermal patch, a pastille, a paste, or a mouthwash.

35. (Withdrawn) A medical device comprising:  
a drug delivering or eluting member; and  
a composition in accordance with Claim 31 disposed on or within the drug delivering or eluting member.

36. (Withdrawn) The medical device as claimed in Claim 35, wherein the drug delivering or eluting member is a stent.

37. (Withdrawn) The medical device as claimed in Claim 35, wherein the drug delivering or eluting member is selected from a shunt, a colostomy bag attachment device, an ear drainage tube, a lead for a pacemaker, a lead for an implantable defibrillator, a suture, a staple, an anastomosis device, a vertebral disk, a bone pin, a suture anchor, a hemostatic barrier, a clamp, a screw, a plate, a clip, a vascular implant, a tissue adhesive, a tissue sealant, a tissue scaffold, a bone substitute, an intraluminal device, a stent, or a vascular support.

38. (Withdrawn) A microarray comprising:



a gene expression profile generated from a cell type treated with a compound of the formula IIa<sub>1</sub>, as claimed in Claim 30.

39. (Withdrawn) The microarray as claimed in Claim 38, wherein the cell type is selected from the group of cells comprising coronary artery endothelium, umbilical artery endothelium, umbilical vein endothelium, aortic endothelium, dermal microvascular endothelium, pulmonary artery endothelium, myometrium microvascular endothelium, keratinocyte epithelium, bronchial epithelium, mammary epithelium, prostate epithelium, renal cortical epithelium, renal proximal tubule epithelium, small airway epithelium, renal epithelium, umbilical artery smooth muscle, neonatal dermal fibroblast, pulmonary artery smooth muscle, dermal fibroblast, neural progenitor cells, skeletal muscle, astrocytes, aortic smooth muscle, mesangial cells, coronary artery smooth muscle, bronchial smooth muscle, uterine smooth muscle, lung fibroblast, osteoblasts, or prostate stromal cells.

40. (Withdrawn) An expression profile database comprising:  
a patient identifying reference; and  
an expression profile for the patient generated by administering to the patient a compound of the formula IIa<sub>1</sub>, as claimed in Claim 30.


41. (Withdrawn) A method of treating unwanted cellular proliferation, treating an inflammation mediated disease, treating a hyperproliferative disease, or modulating a glycosidase enzyme in a human or an animal comprising administering to the human or animal a therapeutically effective amount of a composition comprising a compound of the formula IIa<sub>1</sub>, as claimed in Claim 30.

42. (Withdrawn) The method as claimed in Claim 41, wherein the compound is present in the composition in an amount effective upon administration in a daily dose, a daily sub-dose, or any appropriate fraction thereof to the human or animal to reduce the effects of the disease, to reduce the effects of the unwanted cellular proliferation, to reduce the effects of the





inflammation mediated disease, to reduce the effects of the hyperproliferative disease, or to modulate the glycosidase enzyme.


43. (Currently amended) A compound of the formula IIa<sub>1</sub>:



wherein R<sup>2a</sup> is selected from  $\text{—NH—R}^{3a}$ ,  $\text{—NCH}_3\text{—R}^{3a}$ ,  $\text{—(O)}_{p^1}\text{—R}^{3a}$  wherein p<sup>1</sup> is 0 or 1,  $\text{—S—R}^{3a}$ ,









wherein x and y are independently selected from O, S, CH<sub>2</sub>, or NH; E is independently selected from CH or N; p, q, r, and s are independently selected from an integer from 0 to 5, inclusive; and t and t<sup>1</sup> are independently selected from an integer from 0 to 10, inclusive;





wherein R<sup>4a</sup> is selected from -H or -CH<sub>3</sub>; and



- optionally, a pharmaceutically acceptable auxiliary;  
optionally, a pharmaceutically acceptable preservative; and  
optionally, a pharmaceutically acceptable excipient.



46. (Withdrawn) The composition as claimed in Claim 44, further comprising an agent selected from a chemotherapeutic agent, an immunosuppressive agent, a cytokine, a cytotoxic agent, a nucleolytic compound, a radioactive isotope, a receptor, a pro-drug activating enzyme, an anti-inflammatory agent, an antirheumatic agent, a cardiovascular agent, a toxin, or any combination thereof.

47. (Original) The composition as claimed in Claim 44, wherein the composition is in the form of a tablet, a capsule, a cachet, a powder, a granule, a solution, a suspension, an emulsion, a bolus, a lozenge, a suppository, a pessary, a tampon, a cream, a gel, a paste, a foam, a spray, an aerosol, a microcapsule, a liposome, a transdermal patch, a pastille, a paste, or a mouthwash.

48. (Withdrawn) A medical device comprising:  
a drug delivering or eluting member; and  
a composition in accordance with Claim 44 disposed on or within the drug delivering or eluting member.

49. (Withdrawn) The medical device as claimed in Claim 48, wherein the drug delivering or eluting member is a stent.

50. (Withdrawn) The medical device as claimed in Claim 48, wherein the drug delivering or eluting member is selected from a shunt, a colostomy bag attachment device, an ear drainage tube, a lead for a pacemaker, a lead for an implantable defibrillator, a suture, a staple, an anastomosis device, a vertebral disk, a bone pin, a suture anchor, a hemostatic barrier, a clamp, a screw, a plate, a clip, a vascular implant, a tissue adhesive, a tissue sealant, a tissue scaffold, a bone substitute, an intraluminal device, a stent, or a vascular support.

51. (Withdrawn) A microarray comprising:  
a gene expression profile generated from a cell type treated with a compound of the formula IIa<sub>1</sub>, as claimed in Claim 43.



52. (Withdrawn) The microarray as claimed in Claim 51, wherein the cell type is selected from the group of cells comprising coronary artery endothelium, umbilical artery endothelium, umbilical vein endothelium, aortic endothelium, dermal microvascular endothelium, pulmonary artery endothelium, myometrium microvascular endothelium, keratinocyte epithelium, bronchial epithelium, mammary epithelium, prostate epithelium, renal cortical epithelium, renal proximal tubule epithelium, small airway epithelium, renal epithelium, umbilical artery smooth muscle, neonatal dermal fibroblast, pulmonary artery smooth muscle, dermal fibroblast, neural progenitor cells, skeletal muscle, astrocytes, aortic smooth muscle, mesangial cells, coronary artery smooth muscle, bronchial smooth muscle, uterine smooth muscle, lung fibroblast, osteoblasts, or prostate stromal cells.


53. (Withdrawn) An expression profile database comprising:  
a patient identifying reference; and  
an expression profile for the patient generated by administering to the patient a compound of the formula IIa<sub>1</sub>, as claimed in Claim 43.

54. (Withdrawn) A method of treating unwanted cellular proliferation, treating an inflammation mediated disease, treating a hyperproliferative disease, or modulating a glycosidase enzyme in a human or an animal comprising administering to the human or animal a therapeutically effective amount of a composition comprising a compound of the formula IIa<sub>1</sub>, as claimed in Claim 43.

55. (Withdrawn) The method as claimed in Claim 54, wherein the compound is present in the composition in an amount effective upon administration in a daily dose, a daily sub-dose, or any appropriate fraction thereof to the human or animal to reduce the effects of the disease, to reduce the effects of the unwanted cellular proliferation, to reduce the effects of the inflammation mediated disease, to reduce the effects of the hyperproliferative disease, or to modulate the glycosidase enzyme.

56. (Currently amended) A compound of the formula IIa<sub>1</sub>:







(IIa<sub>1</sub>)

, or a salt thereof,


wherein R<sup>2a</sup> is selected from  $\text{---}(\text{O})_{\text{p}^1}\text{---R}^{3a}$  wherein p<sup>1</sup> is 0,  $\text{---S---R}^{3a}$ ,  $\text{---}\overset{\text{O}}{\underset{\text{O}}{\text{S}}}\text{---R}^{3a}$ , or  $\text{---}\overset{\text{O}}{\underset{\text{O}}{\text{S}}}\text{---R}^{3a}$ ;








wherein R<sup>3a</sup> is selected from -H,























wherein x and y are independently selected from O, S, CH<sub>2</sub>, or NH; E is independently selected from CH or N; p, q, r, and s are independently selected from an integer from 0 to 5, inclusive; and t and t<sup>1</sup> are independently selected from an integer from 0 to 10, inclusive;



wherein R<sup>4a</sup> is selected from -H or -CH<sub>3</sub>; and





57. (Previously presented) A composition comprising a pharmaceutically acceptable carrier and a compound of the formula IIa<sub>1</sub>, as claimed in Claim 56.

58. (Previously presented) The composition as claimed in Claim 57, further comprising:  
optionally, a pharmaceutically acceptable auxiliary;  
optionally, a pharmaceutically acceptable preservative; and  
optionally, a pharmaceutically acceptable excipient.

59. (Withdrawn) The composition as claimed in Claim 57, further comprising an agent selected from a chemotherapeutic agent, an immunosuppressive agent, a cytokine, a cytotoxic agent, a nucleolytic compound, a radioactive isotope, a receptor, a pro-drug activating enzyme, an anti-inflammatory agent, an antirheumatic agent, a cardiovascular agent, a toxin, or any combination thereof.

60. (Original) The composition as claimed in Claim 57, wherein the composition is in the form of a tablet, a capsule, a cachet, a powder, a granule, a solution, a suspension, an emulsion, a bolus, a lozenge, a suppository, a pessary, a tampon, a cream, a gel, a paste, a foam, a spray, an aerosol, a microcapsule, a liposome, a transdermal patch, a pastille, a paste, or a mouthwash.

61. (Withdrawn) A medical device comprising:  
a drug delivering or eluting member; and  
a composition in accordance with Claim 57 disposed on or within the drug delivering or eluting member.

62. (Withdrawn) The medical device as claimed in Claim 61, wherein the drug delivering or eluting member is a stent.

63. (Withdrawn) The medical device as claimed in Claim 61, wherein the drug delivering or eluting member is selected from a shunt, a colostomy bag attachment device, an ear drainage tube, a lead for a pacemaker, a lead for an implantable defibrillator, a suture, a staple, an



anastomosis device, a vertebral disk, a bone pin, a suture anchor, a hemostatic barrier, a clamp, a screw, a plate, a clip, a vascular implant, a tissue adhesive, a tissue sealant, a tissue scaffold, a bone substitute, an intraluminal device, a stent, or a vascular support.

64. (Withdrawn) A microarray comprising:

a gene expression profile generated from a cell type treated with a compound of the formula IIa<sub>1</sub>, as claimed in Claim 56.

65. (Withdrawn) The microarray as claimed in Claim 64, wherein the cell type is selected from the group of cells comprising coronary artery endothelium, umbilical artery endothelium, umbilical vein endothelium, aortic endothelium, dermal microvascular endothelium, pulmonary artery endothelium, myometrium microvascular endothelium, keratinocyte epithelium, bronchial epithelium, mammary epithelium, prostate epithelium, renal cortical epithelium, renal proximal tubule epithelium, small airway epithelium, renal epithelium, umbilical artery smooth muscle, neonatal dermal fibroblast, pulmonary artery smooth muscle, dermal fibroblast, neural progenitor cells, skeletal muscle, astrocytes, aortic smooth muscle, mesangial cells, coronary artery smooth muscle, bronchial smooth muscle, uterine smooth muscle, lung fibroblast, osteoblasts, or prostate stromal cells.

66. (Withdrawn) An expression profile database comprising:

a patient identifying reference; and


an expression profile for the patient generated by administering to the patient a compound of the formula IIa<sub>1</sub>, as claimed in Claim 56.

67. (Withdrawn) A method of treating unwanted cellular proliferation, treating an inflammation mediated disease, treating a hyperproliferative disease, or modulating a glycosidase enzyme in a human or an animal comprising administering to the human or animal a therapeutically effective amount of a composition comprising a compound of the formula IIa<sub>1</sub>, as claimed in Claim 56.




68. (Withdrawn) The method as claimed in Claim 67, wherein the compound is present in the composition in an amount effective upon administration in a daily dose, a daily sub-dose, or any appropriate fraction thereof to the human or animal to reduce the effects of the disease, to reduce the effects of the unwanted cellular proliferation, to reduce the effects of the inflammation mediated disease, to reduce the effects of the hyperproliferative disease, or to modulate the glycosidase enzyme.


69. (Original) A compound of the formula XXIVa<sup>1</sup>:




, or a salt thereof,




wherein R<sup>3a</sup> is selected from,











wherein x and y are independently selected from O, S, CH<sub>2</sub>, or NH; E is independently selected from CH or N; p, q, r, and s are independently selected from an integer from 0 to 5, inclusive; and t and t<sup>1</sup> are independently selected from an integer from 0 to 10, inclusive.

70. (Previously presented) A composition comprising a pharmaceutically acceptable carrier and a compound of the formula XXIVa<sup>1</sup> as claimed in Claim 69.

71. (Previously presented) The composition as claimed in Claim 70, further comprising:  
optionally, a pharmaceutically acceptable auxiliary;  
optionally, a pharmaceutically acceptable preservative; and  
optionally, a pharmaceutically acceptable excipient.

72. (Withdrawn) The composition as claimed in Claim 70, further comprising an agent selected from a chemotherapeutic agent, an immunosuppressive agent, a cytokine, a cytotoxic



agent, a nucleolytic compound, a radioactive isotope, a receptor, a pro-drug activating enzyme, an anti-inflammatory agent, an antirheumatic agent, a cardiovascular agent, a toxin, or any combination thereof.

73. (Original) The composition as claimed in Claim 70, wherein the composition is in the form of a tablet, a capsule, a cachet, a powder, a granule, a solution, a suspension, an emulsion, a bolus, a lozenge, a suppository, a pessary, a tampon, a cream, a gel, a paste, a foam, a spray, an aerosol, a microcapsule, a liposome, a transdermal patch, a pastille, a paste, or a mouthwash.

74. (Withdrawn) A medical device comprising:  
a drug delivering or eluting member; and  
a composition in accordance with Claim 70 disposed on or within the drug delivering or eluting member.

75. (Withdrawn) The medical device as claimed in Claim 74, wherein the drug delivering or eluting member is a stent.

76. (Withdrawn) The medical device as claimed in Claim 74, wherein the drug delivering or eluting member is selected from a shunt, a colostomy bag attachment device, an ear drainage tube, a lead for a pacemaker, a lead for an implantable defibrillator, a suture, a staple, an anastomosis device, a vertebral disk, a bone pin, a suture anchor, a hemostatic barrier, a clamp, a screw, a plate, a clip, a vascular implant, a tissue adhesive, a tissue sealant, a tissue scaffold, a bone substitute, an intraluminal device, a stent, or a vascular support.

77. (Withdrawn) A microarray comprising:  
a gene expression profile generated from a cell type treated with a compound of the formula XXIVa<sup>1</sup>, as claimed in Claim 69.

78. (Withdrawn) The microarray as claimed in Claim 77, wherein the cell type is selected from the group of cells comprising coronary artery endothelium, umbilical artery endothelium,



umbilical vein endothelium, aortic endothelium, dermal microvascular endothelium, pulmonary artery endothelium, myometrium microvascular endothelium, keratinocyte epithelium, bronchial epithelium, mammary epithelium, prostate epithelium, renal cortical epithelium, renal proximal tubule epithelium, small airway epithelium, renal epithelium, umbilical artery smooth muscle, neonatal dermal fibroblast, pulmonary artery smooth muscle, dermal fibroblast, neural progenitor cells, skeletal muscle, astrocytes, aortic smooth muscle, mesangial cells, coronary artery smooth muscle, bronchial smooth muscle, uterine smooth muscle, lung fibroblast, osteoblasts, or prostate stromal cells.

79. (Withdrawn) An expression profile database comprising:  
a patient identifying reference; and  
an expression profile for the patient generated by administering to the patient a compound of the formula XXIVa<sup>1</sup>, as claimed in Claim 69.

80. (Withdrawn) A method of treating unwanted cellular proliferation, treating an inflammation mediated disease, treating a hyperproliferative disease, or modulating a glycosidase enzyme in a human or an animal comprising administering to the human or animal a therapeutically effective amount of a composition comprising a compound of the formula XXIVa<sup>1</sup>, as claimed in Claim 69.

81. (Withdrawn) The method as claimed in Claim 80, wherein the compound is present in the composition in an amount effective upon administration in a daily dose, a daily sub-dose, or any appropriate fraction thereof to the human or animal to reduce the effects of the disease, to reduce the effects of the unwanted cellular proliferation, to reduce the effects of the inflammation mediated disease, to reduce the effects of the hyperproliferative disease, or to modulate the glycosidase enzyme.

82. (Previously presented) A compound selected from:  
N-(3-Chloro-4-methoxy-phenyl)-N'-cycloheptyl-6-[2-(2-fluoro-phenoxy)-ethoxy]-  
[1,3,5]triazine-2,4-diamine;



N-(3-Chloro-4-methoxy-phenyl)-N'-cycloheptyl-6-(1-methyl-pyrrolidin-2-ylmethoxy)-[1,3,5]triazine-2,4-diamine;  
N-(3-Chloro-4-methoxy-phenyl)-N'-cycloheptyl-6-(1-methyl-piperidin-4-yloxy)-[1,3,5]triazine-2,4-diamine;  
3-[4-(3-Chloro-4-methoxy-phenylamino)-6-cycloheptylamino-[1,3,5]triazin-2-yloxy]-2-ethylpyran-4-one;  
1-{3-[4-(3-Chloro-4-methoxy-phenylamino)-6-cycloheptylamino-[1,3,5]triazin-2-yloxy]-piperidin-1-yl}-ethanone;  
N-(3-Chloro-4-methoxy-phenyl)-N'-cycloheptyl-6-isopropoxy-[1,3,5]triazine-2,4-diamine;  
N-(3-Chloro-4-methoxy-phenyl)-N'-cycloheptyl-6-(2-fluoro-phenoxy)-[1,3,5]triazine-2,4-diamine;  
N-(3-Chloro-4-methoxy-phenyl)-N'-cycloheptyl-6-(6-methyl-pyridin-2-yloxy)-[1,3,5]triazine-2,4-diamine;  
N-(3-Chloro-4-methoxy-phenyl)-N'-cycloheptyl-6-(4-iodo-phenoxy)-[1,3,5]triazine-2,4-diamine;  
N-(3-Chloro-4-methoxy-phenyl)-N'-cycloheptyl-6-(2-iodo-phenoxy)-[1,3,5]triazine-2,4-diamine;  
4-{4-[4-(3-Chloro-4-methoxy-phenylamino)-6-cycloheptylamino-[1,3,5]triazin-2-yloxy]-phenyl}-2-methyl-but-3-yn-2-ol;  
4-{2-[4-(3-Chloro-4-methoxy-phenylamino)-6-cycloheptylamino-[1,3,5]triazin-2-yloxy]-phenyl}-2-methyl-but-3-yn-2-ol;  
N-(3-Chloro-4-methoxy-phenyl)-N'-cycloheptyl-6-(pyridin-3-yloxy)-[1,3,5]triazine-2,4-diamine;  
N-(3-Chloro-4-methoxy-phenyl)-N'-cycloheptyl-6-(1-ethyl-piperidin-3-yloxy)-[1,3,5]triazine-2,4-diamine;  
4-[4-(3-Chloro-4-methoxy-phenylamino)-6-cycloheptylamino-[1,3,5]triazin-2-yloxy]-benzaldehyde;  
3-{4-[4-(3-Chloro-4-methoxy-phenylamino)-6-cycloheptylamino-[1,3,5]triazin-2-yloxy]-phenyl}-acrylic acid ethyl ester;  
1-{4-[4-(3-Chloro-4-methoxy-phenylamino)-6-cycloheptylamino-[1,3,5]triazin-2-yloxy]-phenyl}-ethanone;  
4-[4-(3-Chloro-4-methoxy-phenylamino)-6-cycloheptylamino-[1,3,5]triazin-2-yloxy]-benzaldehyde oxime;



1-{3-Chloro-4-[4-(3-chloro-4-methoxy-phenylamino)-6-cycloheptylamino-[1,3,5]triazin-2-yloxy]-phenyl}-ethanone;  
4-{4-[4-(3-Chloro-4-methoxy-phenylamino)-6-isopropylamino-[1,3,5]triazin-2-yloxy]-phenyl}-2-methyl-but-3-yn-2-ol;  
N-(3-Chloro-4-methoxy-phenyl)-N'-cycloheptyl-6-phenylsulfanyl-[1,3,5]triazine-2,4-diamine;  
N-(3-Chloro-4-methoxy-phenyl)-N'-cycloheptyl-6-(2-methoxy-phenylsulfanyl)-[1,3,5]triazine-2,4-diamine;  
N-(3-Chloro-4-methoxy-phenyl)-N'-cycloheptyl-6-(4-fluoro-phenylsulfanyl)-[1,3,5]triazine-2,4-diamine;  
N-(3-Chloro-4-methoxy-phenyl)-N'-cycloheptyl-6-(2,6-dichloro-phenylsulfanyl)-[1,3,5]triazine-2,4-diamine;  
6-(2-tert-Butyl-phenylsulfanyl)-N-(3-chloro-4-methoxy-phenyl)-N'-cycloheptyl-[1,3,5]triazine-2,4-diamine;  
N-(3-Chloro-4-methoxy-phenyl)-N'-cycloheptyl-6-(2,4-dimethoxy-phenyl)-[1,3,5]triazine-2,4-diamine;  
N-(3-Chloro-4-methoxy-phenyl)-N'-cycloheptyl-6-(2,4,6-trimethoxy-phenyl)-[1,3,5]triazine-2,4-diamine;  
4-[4-(3-Chloro-4-methoxy-phenylamino)-6-cycloheptylamino-[1,3,5]triazin-2-yl]-benzene-1,3-diol;  
1-[4-(3-Chloro-4-methoxy-phenylamino)-6-cycloheptylamino-[1,3,5]triazin-2-yl]-naphthalen-2-ol;  
N-(3-Chloro-4-methoxy-phenyl)-N'-cycloheptyl-6-(tetrahydro-furan-2-ylmethoxy)-[1,3,5]triazine-2,4-diamine;  
4-{4-Cycloheptylamino-6-[(1-ethyl-pyrrolidin-2-ylmethyl)-amino]-[1,3,5]triazin-2-ylamino}-cyclohexanol;  
N-Cycloheptyl-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(3-fluoro-4-methyl-phenyl)-[1,3,5]triazine-2,4,6-triamine;  
N-Cycloheptyl-N'-(3-fluoro-4-methyl-phenyl)-N''-methyl-N''-(1-methyl-piperidin-4-yl)-[1,3,5]triazine-2,4,6-triamine;



N-Cycloheptyl-N'-methyl-N''-(1-methyl-piperidin-4-yl)-N'''-(3-nitro-phenyl)-[1,3,5]triazine-2,4,6-triamine;

N-Cycloheptyl-N'-(3-fluoro-phenyl)-N''-methyl-N'''-(1-methyl-piperidin-4-yl)-[1,3,5]triazine-2,4,6-triamine;

N-(4-Benzoyloxy-3-chloro-phenyl)-N'-cycloheptyl-N''-(1-ethyl-pyrrolidin-2-ylmethyl)-[1,3,5]triazine-2,4,6-triamine;

N-(3-Chloro-4-methoxy-phenyl)-N'-cycloheptyl-N''-(tetrahydro-furan-2-ylmethyl)-[1,3,5]triazine-2,4,6-triamine;

2,4,6-Tris-(3-fluoro-4-methoxy-phenoxy)-[1,3,5]triazine;

{2-[4-(3-Chloro-4-methoxy-phenylamino)-6-cycloheptylamino-[1,3,5]triazin-2-ylamino]-ethyl}-carbamic acid tert-butyl ester;

N-Cycloheptyl-6-ethoxy-N'-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4-diamine;

N-(2-Amino-ethyl)-N'-(3-chloro-4-methoxy-phenyl)-N''-cycloheptyl-[1,3,5]triazine-2,4,6-triamine;

4-(5-{4-[4-(3-Chloro-4-methoxy-phenylamino)-6-cycloheptylamino-[1,3,5]triazin-2-ylamino]-piperidin-1-yl}-5-oxo-pentyl)-tetrahydro-thieno[3,4-d]imidazol-2-one;

5-(2-Oxo-hexahydro-thieno[3,4-d]imidazol-4-yl)-pentanoic acid {5-[4-(3-chloro-4-methoxy-phenylamino)-6-cycloheptylamino-[1,3,5]triazin-2-ylamino]-pentyl}-amide;

5-(2-Oxo-hexahydro-thieno[3,4-d]imidazol-4-yl)-pentanoic acid N'-[4-(3-chloro-4-methoxy-phenylamino)-6-cycloheptylamino-[1,3,5]triazin-2-yl]-hydrazide;

5-(2-Oxo-hexahydro-thieno[3,4-d]imidazol-4-yl)-pentanoic acid {2-[4-(3-chloro-4-methoxy-phenylamino)-6-cycloheptylamino-[1,3,5]triazin-2-ylamino]-ethyl}-amide;


2-{4-[4-[(1-Ethyl-pyrrolidin-2-ylmethyl)-amino]-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-yl]-piperazin-1-yl}-1-pyrrolidin-1-yl-ethanone; or

2-{4-[4-[(1-Ethyl-pyrrolidin-2-ylmethyl)-amino]-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-yl]-piperazin-1-yl}-1-pyrrolidin-1-yl-ethanone dihydrogen chloride salt.

83. (Previously presented) A composition comprising a pharmaceutically acceptable carrier and the compound of Claim 82.




84. (New) A compound of the formula Ia:




**(la)**

, or salt thereof;



wherein  $Zx$  is  $-O-R^{1a}$ , and  $R^{1a}$  is selected from






































wherein x and y are independently selected from O, S, CH<sub>2</sub>, or NH; E is independently selected from CH or N; p, q, r, and s are independently selected from an integer from 0 to 5, inclusive; and t and t<sup>1</sup> are independently selected from an integer from 0 to 10, inclusive;


wherein R<sup>7a</sup> is selected from






wherein  $R^{4a}$  is selected from  $-H$  or  $-CH_3$ ; and


wherein  $R^{5a}$  is selected from




85. (New) A compound of the formula Ia:















wherein  $Zx$  is  $-O-R^{1a}$ , and  $R^{1a}$  is selected from













, or









;




wherein  $R^{2a}$  is selected from  $\text{---NH---}$ ,  $\text{---NCH}_3\text{---}$ ,  $\text{---(O)}_{p^1}\text{---}$  wherein  $p^1$  is 0 or 1,  $\text{---S---R}^{3a}$ ,


















wherein x and y are independently selected from O, S, CH<sub>2</sub>, or NH; E is independently selected from CH or N; p, q, r, and s are independently selected from an integer from 0 to 5, inclusive; and t and t<sup>1</sup> are independently selected from an integer from 0 to 10, inclusive;



wherein  $R^{7a}$  is selected from



wherein  $R^{4a}$  is selected from  $-H$  or  $-CH_3$ ; and

wherein  $R^{5a}$  is selected from

